


# HAMPTON

Electrosurgery  
Bipolar Forceps  
Catalog




Hampton Surgical


# Table of Contents



- European Bipolar Forceps..... 1-6
- European Irrigation Bipolar Forceps.....7-7
- European Non-Stick Bipolar Forceps.....8-10
- US Bipolar Forceps.....11-16
- Monopolar Forceps.....17-17
- US Irrigation Bipolar Forceps.....18-18
- US Non-Stick Bipolar Forceps.....19-20



- Hand-Switch Bipolar Forceps.....21-21
- Hand-Switch Monopolar Forceps.....22-22
- Diathermy Instruments.....23-24



- Disposable Bipolar Forceps.....25-26
- OB/Gyn Loop Instruments.....27-29
- OB/Gyn Laser Surgery Instruments.....30-31



- Laparoscopic & Arthroscopic Electrode.....32-33
- Electrosurgical Pencil & Electrode.....34-38
- Electrosurgical Cable.....39-41
- Bipolar Artery Sealer.....42-42



Hampton Surgical

## Hampton Surgical Disposable Non-Stick Bipolar Forceps



Hampton Surgical Disposable Non-Stick Bipolar Forceps are available in Standard and Slim, offering 15 configurations to cover a range of surgical procedures.

- Proprietary non-stick plating for precise coagulation
- Optimal weight, balance and spring force control
- The bayonet handle, thin tines and beveled tips are designed for excellent visualization of the surgical target



# Bipolar Forceps



With a reusable handle and sterile, single-use gold tips, Bipolar Forceps are designed for procedures requiring precise temperature control. In most delicate procedures, there is no room for error - instrumentation must be of the highest quality.

Isocool Bipolar Forceps don't compromise. By incorporating the Active Heat Transfer Technology along with our gold plated tips, surgeons now have an instrument that enhances their ability to coagulate delicate tissue with minimal collateral tissue damage\*.


## The Science Behind Non-Stick Forceps

### Active Heat Transfer Technology


**How It Works:** Fluid inside the vacuum tube vaporizes as it transfers heat from the tips of the forceps. Heated vapors move up the tube, through the wicking structure. Vapors condense, releasing heat away from the surgical site. Condensation returns the fluid to begin the cycle again. Without AHT\* Technology, temperature at the tips of the forceps can exceed the temperature necessary for tissue coagulation.




Enlarged wicking structure



Controlling heat at the tip by continuously evaporating and condensing the internal working fluid.



Bipolar Forceps with AHT Technology



Competitive forceps without AHT Technology





381-100 McPherson



381-102 McPherson Ang.



381-104 Jeweller #5 Str



381-106 Jeweller #5 Ang




381-108 Jeweller #7



381-110 Adson

**Tip Chart**




Tip size can be changed as per your requirement, just add the following extensions  
 fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name          | Tip Size (mm) | Length Size (cm) |
|---------|--------------------|---------------|------------------|
| 381-100 | McPherson          | 0.5           | 10.2             |
| 381-102 | McPherson Angled   | 0.5           | 10.2             |
| 381-104 | Jeweller #5        | 0.5, 0.7      | 11.5             |
| 381-106 | Jeweller #5 Angled | 0.5, 0.7      | 11.5             |
| 381-108 | Jeweller #7        | 0.5, 0.7      | 11.5             |
| 381-110 | Adson              | 1.0           | 12.0             |
| 381-112 | Adson              | 1.0           | 15.0             |



**Tip Chart**




Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name | Tip Size (mm) | Length Size (cm) |
|---------|-----------|---------------|------------------|
| 381-114 | Straight  | 0.5, 1.0, 2.0 | 15.0             |
| 381-116 | Straight  | 0.5, 1.0, 2.0 | 18.0             |
| 381-118 | Straight  | 0.5, 1.0, 2.0 | 20.0             |
| 381-120 | Straight  | 0.5, 1.0, 2.0 | 22.0             |
| 381-122 | Straight  | 0.5, 1.0, 2.0 | 24.0             |




**Tip Chart**




Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name       | Tip Size (mm) | Length Size (cm) |
|---------|-----------------|---------------|------------------|
| 381-124 | Straight Angled | 0.5, 1.0, 2.0 | 15.0             |
| 381-126 | Straight Angled | 0.5, 1.0, 2.0 | 18.0             |
| 381-128 | Straight Angled | 0.5, 1.0, 2.0 | 20.0             |
| 381-130 | Straight Angled | 0.5, 1.0, 2.0 | 22.0             |
| 381-132 | Straight Angled | 0.5, 1.0, 2.0 | 24.0             |



**Tip Chart**







Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm


| Ref     | Item Name | Tip Size (mm) | Length Size (cm) |
|---------|-----------|---------------|------------------|
| 381-134 | Bayonet   | 0.5, 1.0, 2.0 | 16.5             |
| 381-136 | Bayonet   | 0.5, 1.0, 2.0 | 18.0             |
| 381-138 | Bayonet   | 0.5, 1.0, 2.0 | 20.0             |
| 381-140 | Bayonet   | 0.5, 1.0, 2.0 | 22.0             |
| 381-142 | Bayonet   | 0.5, 1.0, 2.0 | 24.0             |



**EUROPEAN BIPOLAR FORCEPS**



**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions  
 list tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name         | Tip Size (mm) | Length Size (cm) |
|---------|-------------------|---------------|------------------|
| 381-144 | Bayonet Angled Up | 0.5, 1.0, 2.0 | 16.5             |
| 381-146 | Bayonet Angled Up | 0.5, 1.0, 2.0 | 18.0             |
| 381-148 | Bayonet Angled Up | 0.5, 1.0, 2.0 | 20.0             |
| 381-150 | Bayonet Angled Up | 0.5, 1.0, 2.0 | 22.0             |
| 381-152 | Bayonet Angled Up | 0.5, 1.0, 2.0 | 24.0             |




Hampton Surgical

# EUROPEAN BIPOLAR FORCEPS



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, .05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name           | Tip Size (mm) | Length Size (cm) |
|---------|---------------------|---------------|------------------|
| 381-154 | Bayonet Angled Down | 0.5, 1.0, 2.0 | 16.5             |
| 381-156 | Bayonet Angled Down | 0.5, 1.0, 2.0 | 18.0             |
| 381-158 | Bayonet Angled Down | 0.5, 1.0, 2.0 | 20.0             |
| 381-160 | Bayonet Angled Down | 0.5, 1.0, 2.0 | 22.0             |
| 381-162 | Bayonet Angled Down | 0.5, 1.0, 2.0 | 24.0             |





It is well known that depending on the generator and the surface quality of the forceps jaws, coagulated tissue tends to more or less stick to the instrument jaw. This unwanted effect can occur particularly often with liver tissue and is critical in neurosurgery. For these applications in particular, we have designed our Bipolar Forceps with integrated irrigation channel. The coagulation area is irrigated through a built-in irrigation channel inside the forceps branch which can be connected to a standard irrigation hose. By means of this irrigation the sticking of the tissue is substantially reduced and surgical work is made easier.

### Advantages of Reusable European Irrigation Bipolar Forceps

- *A universal hub connector allows irrigation tubing to be connected easily.*
- *The ergonomically designed handle provides less fatigue and a well balanced instrument.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *For high visibility our irrigation tube can be recessed into the forceps blank (buried irrigation).*
- *Compatible with all common electrosurgery unit.*

381-170-IR Bayonet Irrigation



381-168-IR Bayonet Irrigation




381-166-IR Straight Irrigation



381-164-IR Straight Irrigation



### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions  
 fit tip size at the end of Ref #: TIP- Needles: .05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name           | Tip Size (mm) | Length Size (cm) |
|------------|---------------------|---------------|------------------|
| 381-164-IR | Straight Irrigation | 0.5, 1.0, 2.0 | 18.0             |
| 381-166-IR | Straight Irrigation | 0.5, 1.0, 2.0 | 20.0             |
| 381-168-IR | Bayonet Irrigation  | 0.5, 1.0, 2.0 | 18.0             |
| 381-170-IR | Bayonet Irrigation  | 0.5, 1.0, 2.0 | 20.0             |

Note: More Bipolar Irrigation Forceps are available use IR extension to any regular bipolar forceps.



During the caogulation process, tissue and tips of forceps can stick together. Hampton's non-stick bipolar forceps are made with a special silver alloy and therefore prevent tissue from sticking. Disturbing and time consuming disruptions for cleaning the tips during surgery are thus avoided. Due to the good thermal qualities of silver the temperature of the forceps tips does not exceed 100°C during coagulation, which enhances the non-stick effect. With over ten years of experience we can guarantee that our bipolar forceps do not stick. The non-stick effect remains constant and is not reduced by frequent sterilization. Our non-stick bipolar forceps together with the appropriate connection cables are compatible with all common types of high-frequency units such as Erbe, Martin, Berchtold, Valleylab. Hampton's Bipolar forceps non-stick are available in straight, angled or bayonet shape. Available lengths range from 110 to 300 mm. Tips can be made from 0.25 to 2.0 mm width. Forceps are also available with different measurements as well as with flat pin or 2-pin plug.

### Advantages of Reusable Non-Stick European Bipolar Forceps

- *Ten years of experience speak for themselves. Our forceps do not stick – never!*
- *No cleaning during surgery*
- *Especially high thermal qualities*
- *All Non-stick Bipolar Forceps are re-usable and autoclavable.*
- *Compatible with all common electrosurgery unit.*



NON-STICK EUROPEAN BIPOLAR FORCEPS



McPherson

381-172-NS



McPherson Angled

381-174-NS



Jeweller #5

381-176-NS



Jeweller #5 Angled


381-178-NS



381-180-NS

Adson

Tip Chart



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name          | Tip Size (mm) | Length Size (cm) |
|------------|--------------------|---------------|------------------|
| 381-172-NS | McPherson          | 0.5           | 10.2             |
| 381-174-NS | McPherson Angled   | 0.5           | 10.2             |
| 381-176-NS | Jeweller #5        | 0.5, 0.7      | 11.5             |
| 381-178-NS | Jeweller #5 Angled | 0.5, 0.7      | 11.5             |
| 381-180-NS | Adson              | 1.0           | 12.0             |

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.






Hampton Surgical

**NON-STICK EUROPEAN BIPOLAR FORCEPS**



**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        |          | Tip Size (mm) | Length Size (cm) |
|------------|----------|---------------|------------------|
| 381-182-NS | Straight | 0.5, 1.0, 2.0 | 15.0             |
| 381-184-NS | Straight | 0.5, 1.0, 2.0 | 18.0             |
| 381-186-NS | Straight | 0.5, 1.0, 2.0 | 20.0             |
| 381-188-NS | Straight | 0.5, 1.0, 2.0 | 22.0             |

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.





Hampton Surgical

**NON-STICK EUROPEAN BIPOLAR FORCEPS**

Bayonet  
381-190-NS



Bayonet  
381-192-NS




Bayonet  
381-194-NS



Bayonet  
381-196-NS



**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name | Tip Size (mm) | Length Size (cm) |
|------------|-----------|---------------|------------------|
| 381-190-NS | Bayonet   | 0.5, 1.0, 2.0 | 16.5             |
| 381-192-NS | Bayonet   | 0.5, 1.0, 2.0 | 18.0             |
| 381-194-NS | Bayonet   | 0.5, 1.0, 2.0 | 20.0             |
| 381-196-NS | Bayonet   | 0.5, 1.0, 2.0 | 22.0             |

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.









The Hampton's bipolar forceps are available in various lengths and shapes for different surgical and anatomical requirements. The reusable Bipolar forceps make it easy to coagulate tissue. Sticking effects on the tips of the forceps are reduced to a minimum.

### Advantages of Reusable US Bipolar Forceps

- *Highly polished tips reduce tissue adherence.*
- *Light closing force causes less fatigue over time.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Reusable, durable, and designed for multiple uses.*
- *Precision tip alignment aids fine control.*
- *The Instruments is atoclavable.*
- *Compatible with all common electrosurgery unit.*



**Tip Chart**




Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name         | Tip Size (mm) | Length Size (cm) |
|---------|-------------------|---------------|------------------|
| 381-230 | McPherson         | 0.5           | 10.2             |
| 381-232 | McPherson Angled  | 0.5           | 10.2             |
| 381-234 | Coaptation Nedler | 0.5           | 10.2             |
| 381-236 | Coaptation        | 0.5           | 10.8             |
| 381-238 | Jeweller #5       | Needle, 0.5   | 11.5             |



**Tip Chart**




Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name     | Tip Size (mm) | Length Size (cm) |
|---------|---------------|---------------|------------------|
| 381-240 | Jeweller #4   | Needle, 0.5   | 11.5             |
| 381-242 | Tenzel        | Needle, 0.5   | 10.2             |
| 381-244 | Jeweller #7   | Needle, 0.5   | 11.5             |
| 381-246 | Iris Straight | Needle, 0.5   | 10.8             |
| 381-248 | Iris Angled   | 0.5, 1.0      | 10.8             |




**Tip Chart**




Tip size can be changed as per your requirement, just add the following extensions  
 fit tip size at the end of Ref #: **TIP-** Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name | Tip Size (mm) | Length Size (cm) |
|---------|-----------|---------------|------------------|
| 381-250 | Adson     | 1.0           | 12.0             |
| 381-252 | Semkin    | 0.5, 1.0      | 14.0             |
| 381-254 | Cushing   | 1.0, 1.5, 2.0 | 15.9             |
| 381-256 | Cushing   | 1.0, 1.5, 2.0 | 17.8             |




### Tip Chart




Tip size can be changed as per your requirement, just add the following extensions  
 fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name       | Tip Size (mm) | Length Size (cm) |
|---------|-----------------|---------------|------------------|
| 381-258 | Cushing Gursh   | 1.0, 1.5, 2.0 | 17.8             |
| 381-260 | Gerald Straight | 1.0, 1.5, 2.0 | 17.8             |
| 381-262 | Gerald Angled   | 1.0, 1.5, 2.0 | 17.8             |
| 381-264 | Gerald Bayonet  | 1.0, 1.5, 2.0 | 18.4             |







**Tip Chart**




Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name      | Tip Size (mm) | Length Size (cm) |
|---------|----------------|---------------|------------------|
| 381-266 | Jansen Bayonet | 1.0, 1.5, 2.0 | 15.2             |
| 381-268 | Jansen Bayonet | 1.0, 1.5, 2.0 | 17.8             |
| 381-270 | Jansen Bayonet | 1.0, 1.5, 2.0 | 20.4             |
| 381-272 | Malis          | 1.0, 1.5, 2.0 | 17.8             |



**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions  
 at the end of Ref #: **TIP-Needle** 0.5 0.7mm 1.0mm 1.5mm & 2.0mm

| Ref     | Item Name            | Tip Size (mm) | Length Size (cm) |
|---------|----------------------|---------------|------------------|
| 381-274 | Scoville-Greenwood   | 1.0, 1.5      | 19.1             |
| 381-276 | Yasargil             | 1.0, 1.5      | 19.7             |
| 381-278 | Hardy Bayonet        | 1.0, 1.5      | 21.6             |
| 381-280 | Hardy Bayonet Angled | 1.0, 1.5      | 21.6             |



Our Monopolar instruments are tested at high volts to ensure proper functioning during the most stringent operations. With the best quality stainless steel, excellent finishing and superior insulation, we provide worldwide guarantee for all our Monopolar instruments.

### Advantages of Reusable Monopolar Forceps

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Compatible with all common electrosurgery unit.*



381-282 Jeweller #4



381-284 Jeweller #7



381-286 Adson



381-288 Potts-Smith



381-292 Potts-Smith



381-294 Jansen Bayonet




381-296 Jansen Bayonet



381-302 Jansen Bayonet UP



**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref     | Item Name         | Tip Size (mm) | Length Size (cm) |
|---------|-------------------|---------------|------------------|
| 381-282 | Jeweller #4       | Needle        | 11.5             |
| 381-284 | Jeweller #7       | Needle        | 11.5             |
| 381-286 | Adson             | 1.0           | 12.0             |
| 381-288 | Potts-Smith       | 2.0           | 17.8             |
| 381-290 | Potts-Smith       | 2.0           | 21.0             |
| 381-292 | Potts-Smith       | 2.0           | 24.1             |
| 381-294 | Jansen Bayonet    | 1.5           | 13.3             |
| 381-296 | Jansen Bayonet    | 1.5           | 15.9             |
| 381-298 | Jansen Bayonet    | 2.0           | 19.1             |
| 381-300 | Jansen Bayonet    | 2.0           | 21.0             |
| 381-302 | Jansen Bayonet UP | 2.0           | 19.1             |
| 381-304 | Jansen Bayonet UP | 2.0           | 21.0             |



It is well known that depending on the generator and the surface quality of the forceps jaws, coagulated tissue tends to more or less stick to the instrument jaw. This unwanted effect can occur particularly often with liver tissue and is critical in neurosurgery. For these applications in particular, we have designed our Bipolar Forceps with integrated irrigation channel. The coagulation area is irrigated through a built-in irrigation channel inside the forceps branch which can be connected to a standard irrigation hose. By means of this irrigation the sticking of the tissue is substantially reduced and surgical work is made easier.

### Advantages of Reusable US Irrigation Forceps

- *A universal hub connector allows irrigation tubing to be connected easily.*
- *The ergonomically designed handle provides less fatigue and a well balanced instrument.*
- *For high visibility our irrigation tube can be recessed into the forceps blank (buried irrigation).*
- *Compatible with all common electrosurgery unit.*



381-306-IR Hardy Bayonet



381-308-IR Jansen Bayonet



381-310-IR Scoville-Greenwood




381-312-IR Gerald Bayonet



381-314-IR Straight

**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name          | Tip Size (mm) | Length Size (cm) |
|------------|--------------------|---------------|------------------|
| 381-306-IR | Hardy Bayonet      | 0.5, 1.0, 1.5 | 21.6             |
| 381-308-IR | Jansen Bayonet     | 0.5, 1.0, 1.5 | 19.1             |
| 381-310-IR | Scoville-Greenwood | 0.5, 1.0, 1.5 | 19.7             |
| 381-312-IR | Gerald Bayonet     | 0.5, 1.0, 1.5 | 18.4             |
| 381-314-IR | Straight           | 0.5, 1.0, 1.5 | 15.9             |

Note: More Irrigation Bipolar Forceps are available use IR extension to any regular bipolar forceps.



During the caogulation process, tissue and tips of forceps can stick together. Hampton's non-stick bipolar forceps are made with a special silver alloy and therefore prevent tissue from sticking. Disturbing and time consuming disruptions for cleaning the tips during surgery are thus avoided. Due to the good thermal qualities of silver the temperature of the forceps tips does not exceed 100°C during coagulation, which enhances the non-stick effect. With over ten years of experience we can guarantee that our bipolar forceps do not stick. The non-stick effect remains constant and is not reduced by frequent sterilization. Our non-stick bipolar forceps together with the appropriate connection cables are compatible with all common types of high-frequency units such as Erbe, Martin, Berchtold, Valleylab. Hampton's Bipolar forceps non-stick are available in straight, angled or bayonet shape. Available lengths range from 110 to 300 mm. Tips can be made from 0.25 to 2.0 mm width. Forceps are also available with different measurements as well as with flat pin or 2-pin plug.

### Advantages of Reusable Non-Stick European Bipolar Forceps

- *Ten years of experience speak for themselves. Our forceps do not stick – never!*
- *No cleaning during surgery*
- *Especially high thermal qualities*
- *All Non-stick Bipolar Forceps are re-usable and autoclavable.*
- *Compatible with all common electrosurgery unit.*



381-316-NS McPherson



381-318-NS McPherson Angled



381-320-NS Jeweller #5



381-322-NS Jeweller #4




381-324-NS Adson



381-326-NS Semkin

### Tip Chart



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name        | Tip Size (mm) | Length Size (cm) |
|------------|------------------|---------------|------------------|
| 381-316-NS | McPherson        | 0.5           | 10.2             |
| 381-318-NS | McPherson Angled | 0.5           | 10.2             |
| 381-320-NS | Jeweller #5      | Needle, 0.5   | 11.5             |
| 381-322-NS | Jeweller #4      | Needle, 0.5   | 11.5             |
| 381-324-NS | Adson            | 1.0           | 12.0             |
| 381-326-NS | Semkin           | 0.5, 1.0      | 14.0             |

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.



381-328-NS Cushing



381-332-NS Gerald Bayonet



381-334-NS Jansen Bayonet



381-336-NS Scoville-Greenwood




381-338-NS Yasargil



381-340-NS Hardy Bayonet

**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name          | Tip Size (mm) | Length Size (cm) |
|------------|--------------------|---------------|------------------|
| 381-328-NS | Cushing            | 1.0, 1.5, 2.0 | 15.9             |
| 381-330-NS | Cushing            | 1.0, 1.5, 2.0 | 17.8             |
| 381-332-NS | Gerald Bayonet     | 1.0, 1.5      | 18.4             |
| 381-334-NS | Jansen Bayonet     | 1.0, 1.5      | 15.9             |
| 381-336-NS | Scoville-Greenwood | 1.0, 1.5      | 19.1             |
| 381-338-NS | Yasargil           | 1.0, 1.5      | 19.7             |
| 381-340-NS | Hardy Bayonet      | 1.0, 1.5      | 21.6             |

Note: More Non-Stick Bipolar Forceps are available use NS extension to any regular bipolar forceps.




381-341-HS Jeweller #4




381-342-HS Semkin



381-343-HS Jansen Bayonet



381-344-HS Scoville-Greenwood



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 05, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name          | Tip Size (mm) | Length Size (cm) |
|------------|--------------------|---------------|------------------|
| 381-341-HS | Jeweller #4        | 0.5           | 11.5             |
| 381-342-HS | Semkin             | 0.7           | 14.0             |
| 381-343-HS | Jansen Bayonet     | 0.7           | 19.1             |
| 381-344-HS | Scoville-Greenwood | 1.5           | 19.7             |

381-345-HS Jansen Bayonet




381-346-HS Jansen Bayonet




381-347-HS Potts-Smith



381-348-HS Potts-Smith



**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name      | Tip Size (mm) | Length Size (cm) |
|------------|----------------|---------------|------------------|
| 381-345-HS | Jansen Bayonet | 2.0           | 19.0             |
| 381-346-HS | Jansen Bayonet | 2.0           | 21.0             |
| 381-347-HS | Potts-Smith    | 2.0           | 21.0             |
| 381-348-HS | Potts-Smith    | 2.0           | 24.0             |





Our Diathermy instruments are tested at high volts to ensure proper functioning during the most stringent operations. With the best quality stainless steel, excellent finishing and superior insulation, we provide worldwide guarantee for all our Diathermy instruments. Diathermy instruments are available in four base types. Models popular Diathermy Instruments : Adson, Jeweller, McIndoe, Standard, Bayonet, Artery Forceps, Wilson Hey Forceps, Diathermy Scissors, etc in various lengths, tip sizes, and 4 plug types

### **Advantages of Reusable Diathermy Instruments**

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Precision tip alignment aids fine control.*
- *Compatible with all common electrosurgery unit.*



Tuner Warwick Scissors (STR)  
381-350



Tuner Warwick Scissors (CRV)  
381-352



Dressing Scissors (STR)  
381-358



Dressing Scissors (CRV)  
381-360



Wilson Hay Forceps (STR)  
381-366



Wilson Hay Forceps (CRV)  
381-368



Artery Forceps (STR)  
381-374



Artery Forceps (CRV)  
381-376



Abbey Needle  
381-382



Richie Forceps  
381-384

**ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR**

| Ref     | Item Name                    | Tip Size (mm) | Length Size (cm) |
|---------|------------------------------|---------------|------------------|
| 381-350 | Tuner Warwick Scissors (STR) | -             | 17.8             |
| 381-352 | Tuner Warwick Scissors (CRV) | -             | 17.8             |
| 381-354 | Tuner Warwick Scissors (STR) | -             | 23.0             |
| 381-356 | Tuner Warwick Scissors (CRV) | -             | 23.0             |
| 381-358 | Dressing Scissors (STR)      | -             | 17.8             |
| 381-360 | Dressing Scissors (CRV)      | -             | 17.8             |
| 381-362 | Dressing Scissors (STR)      | -             | 23.0             |
| 381-364 | Dressing Scissors (CRV)      | -             | 23.0             |
| 381-366 | Wilson Hay Forceps (STR)     | -             | 17.8             |
| 381-368 | Wilson Hay Forceps (CRV)     | -             | 17.8             |
| 381-370 | Wilson Hay Forceps (STR)     | -             | 23.0             |
| 381-372 | Wilson Hay Forceps (CRV)     | -             | 23.0             |
| 381-374 | Artery Forceps (STR)         | -             | 17.8             |
| 381-376 | Artery Forceps (CRV)         | -             | 17.8             |
| 381-378 | Artery Forceps (STR)         | -             | 23.0             |
| 381-380 | Artery Forceps (CRV)         | -             | 23.0             |
| 381-382 | Abbey Needle                 | -             | 17.5             |
| 381-384 | Richie Forceps               | -             | 17.8             |
| 381-386 | Richie Forceps               | -             | 20.0             |
| 381-388 | Richie Forceps               | -             | 23.0             |

**EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR**

| Ref     | Item Name                    | Tip Size (mm) | Length Size (cm) |
|---------|------------------------------|---------------|------------------|
| 381-390 | Tuner Warwick Scissors (STR) | -             | 17.8             |
| 381-392 | Tuner Warwick Scissors (CRV) | -             | 17.8             |
| 381-394 | Tuner Warwick Scissors (STR) | -             | 23.0             |
| 381-396 | Tuner Warwick Scissors (CRV) | -             | 23.0             |
| 381-398 | Dressing Scissors (STR)      | -             | 17.8             |
| 381-400 | Dressing Scissors (CRV)      | -             | 17.8             |
| 381-402 | Dressing Scissors (STR)      | -             | 23.0             |
| 381-404 | Dressing Scissors (CRV)      | -             | 23.0             |
| 381-406 | Wilson Hay Forceps (STR)     | -             | 17.8             |
| 381-408 | Wilson Hay Forceps (CRV)     | -             | 17.8             |
| 381-410 | Wilson Hay Forceps (STR)     | -             | 23.0             |
| 381-412 | Wilson Hay Forceps (CRV)     | -             | 23.0             |
| 381-414 | Artery Forceps (STR)         | -             | 17.8             |
| 381-416 | Artery Forceps (CRV)         | -             | 17.8             |
| 381-418 | Artery Forceps (STR)         | -             | 23.0             |
| 381-420 | Artery Forceps (CRV)         | -             | 23.0             |
| 381-422 | Abbey Needle                 | -             | 17.5             |
| 381-424 | Richie Forceps               | -             | 17.8             |
| 381-426 | Richie Forceps               | -             | 20.0             |
| 381-428 | Richie Forceps               | -             | 23.0             |



Adson  
**381-430**



McINDOE  
**381-432**



Gillies  
**381-434**



Dissecting  
**381-442**



Gerald  
**381-450**



Adson Bayonet  
**381-452**



Adson Bayonet UP  
**381-456**



Remington Hobb  
**381-462**

**ENGLISH MONOPOLAR MALE 4.8MM CONNECTOR**

| Ref     | Item Name               | Tip Size | Length Size |
|---------|-------------------------|----------|-------------|
| 381-430 | Adson                   | 1.0      | 12.0        |
| 381-432 | McINDOE                 | 1.0, 2.0 | 15.0        |
| 381-434 | Gillies                 | -        | 15.0        |
| 381-436 | Gillies                 | -        | 17.8        |
| 381-438 | Gillies                 | -        | 20.0        |
| 381-440 | Gillies                 | -        | 24.0        |
| 381-442 | Dissecting              | 1.0, 2.0 | 15.0        |
| 381-444 | Dissecting              | 1.0, 2.0 | 17.8        |
| 381-446 | Dissecting              | 1.0, 2.0 | 21.0        |
| 381-448 | Dissecting              | 1.0, 2.0 | 24.1        |
| 381-450 | Gerald 1x2              | -        | 17.8        |
| 381-452 | Adson Bayonet           | 1.0, 2.0 | 16.0        |
| 381-454 | Adson Bayonet           | 1.0, 2.0 | 19.1        |
| 381-456 | Adson Bayonet Angled UP | 1.0, 2.0 | 16.0        |
| 381-458 | Adson Bayonet Angled UP | 1.0, 2.0 | 19.1        |
| 381-460 | Adson Bayonet Angled UP | 1.0, 2.0 | 21.0        |
| 381-462 | Remington Hobb          | 1.0, 2.0 | 24.1        |

**EUROPEAN MONOPOLAR FEMALE 4.0MM CONNECTOR**

| Ref     | Item Name               | Tip Size | Length Size |
|---------|-------------------------|----------|-------------|
| 381-364 | Adson                   | 1.0      | 12.0        |
| 381-366 | McINDOE                 | 1.0, 2.0 | 15.0        |
| 381-368 | Gillies                 | -        | 15.0        |
| 381-370 | Gillies                 | -        | 17.8        |
| 381-372 | Gillies                 | -        | 20.0        |
| 381-474 | Gillies                 | -        | 24.0        |
| 381-476 | Dissecting              | 1.0, 2.0 | 15.0        |
| 381-478 | Dissecting              | 1.0, 2.0 | 17.8        |
| 381-480 | Dissecting              | 1.0, 2.0 | 21.0        |
| 381-482 | Dissecting              | 1.0, 2.0 | 24.1        |
| 381-484 | Gerald 1x2              | -        | 17.8        |
| 381-486 | Adson Bayonet           | 1.0, 2.0 | 16.0        |
| 381-488 | Adson Bayonet           | 1.0, 2.0 | 19.1        |
| 381-490 | Adson Bayonet Angled UP | 1.0, 2.0 | 16.0        |
| 381-492 | Adson Bayonet Angled UP | 1.0, 2.0 | 19.1        |
| 381-494 | Adson Bayonet Angled UP | 1.0, 2.0 | 21.0        |
| 381-496 | Remington Hobb          | 1.0, 2.0 | 24.1        |

**ENGLISH MONOPOLAR MALE 4.0MM CONNECTOR**

| Ref     | Item Name               | Tip Size | Length Size |
|---------|-------------------------|----------|-------------|
| 381-498 | Adson                   | 1.0      | 12.0        |
| 381-500 | McINDOE                 | 1.0, 2.0 | 15.0        |
| 381-502 | Gillies                 | -        | 15.0        |
| 381-504 | Gillies                 | -        | 17.8        |
| 381-506 | Gillies                 | -        | 20.0        |
| 381-508 | Gillies                 | -        | 24.0        |
| 381-510 | Dissecting              | 1.0, 2.0 | 15.0        |
| 381-512 | Dissecting              | 1.0, 2.0 | 17.8        |
| 381-514 | Dissecting              | 1.0, 2.0 | 21.0        |
| 381-516 | Dissecting              | 1.0, 2.0 | 24.1        |
| 381-518 | Gerald 1x2              | -        | 17.8        |
| 381-520 | Adson Bayonet           | 1.0, 2.0 | 16.0        |
| 381-522 | Adson Bayonet           | 1.0, 2.0 | 19.1        |
| 381-524 | Adson Bayonet Angled UP | 1.0, 2.0 | 16.0        |
| 381-526 | Adson Bayonet Angled UP | 1.0, 2.0 | 19.1        |
| 381-528 | Adson Bayonet Angled UP | 1.0, 2.0 | 21.0        |
| 381-530 | Remington Hobb          | 1.0, 2.0 | 24.1        |

**MONOPOLAR WITHOUT CONNECTOR**

| Ref     | Item Name               | Tip Size | Length Size |
|---------|-------------------------|----------|-------------|
| 381-532 | Adson                   | 1.0      | 12.0        |
| 381-534 | McINDOE                 | 1.0, 2.0 | 15.0        |
| 381-536 | Gillies                 | -        | 15.0        |
| 381-538 | Gillies                 | -        | 17.8        |
| 381-540 | Gillies                 | -        | 20.0        |
| 381-542 | Gillies                 | -        | 24.0        |
| 381-544 | Dissecting              | 1.0, 2.0 | 15.0        |
| 381-546 | Dissecting              | 1.0, 2.0 | 17.8        |
| 381-548 | Dissecting              | 1.0, 2.0 | 21.0        |
| 381-550 | Dissecting              | 1.0, 2.0 | 24.1        |
| 381-552 | Gerald 1x2              | -        | 17.8        |
| 381-554 | Adson Bayonet           | 1.0, 2.0 | 16.0        |
| 381-556 | Adson Bayonet           | 1.0, 2.0 | 19.1        |
| 381-558 | Adson Bayonet Angled UP | 1.0, 2.0 | 16.0        |
| 381-560 | Adson Bayonet Angled UP | 1.0, 2.0 | 19.1        |
| 381-562 | Adson Bayonet Angled UP | 1.0, 2.0 | 21.0        |
| 381-564 | Remington Hobb          | 1.0, 2.0 | 24.1        |





Hampton's disposable bipolar forceps have been designed and tested to meet the practical. The main purpose for offering single-use bipolar forceps is to avoid the risk of contamination while remaining cost effective and utilizing the functionalities of the higher end forceps. Hardened stainless steel provides an optimum spring tension and serves as the basis for a superior instrument.

### Advantages of Disposable Bipolar Forceps

- *Lightweight and well balanced to prevent fatigue.*
- *Highly polished tips minimise sticking.*
- *Nylon coating resists abrasion and provides superb insulation.*
- *Precision tip alignment aids fine control.*
- *Cost effective in comparison to re-usable.*
- *All Bipolar forceps available with cable, sterile packed.*
- *Compatible with all common electrosurgery unit.*



381-570-DP Jeweller #5



381-572-DP Straight



381-574-DP Bayonet




381-576-DP Straight



381-578-DP Straight Angled

**Tip Chart**




Tip size can be changed as per your requirement, just add the following extensions  
fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name                 | Tip Size (mm) | Length Size (cm) |
|------------|---------------------------|---------------|------------------|
| 381-570-DP | Jeweller #5 With 3m Cable | 0.5           | 11.5             |
| 381-572-DP | Straight With 3m Cable    | 1.0, 1.5      | 18.0             |
| 381-574-DP | Bayonet With 3m Cable     | 1.0, 1.5      | 18.0             |
| 381-576-DP | Straight                  | 1.0, 1.5      | 18.0             |
| 381-578-DP | Bayonet                   | 1.0, 1.5      | 20.0             |

Note: More Disposable Bipolar Forceps are Available Use DP extension to any regular Bipolar Forceps.



**Tip Chart**



Tip size can be changed as per your requirement, just add the following extensions fit tip size at the end of Ref #: TIP- Needle, 0.5, 0.7mm, 1.0mm, 1.5mm & 2.0mm

| Ref        | Item Name                     | Tip Size (mm) | Length Size (cm) |
|------------|-------------------------------|---------------|------------------|
| 381-580-DP | US, Gerald                    | 1.0, 1.5      | 17.8             |
| 381-582-DP | US, Jansen Bayonet Irrigation | 1.0, 1.5      | 19.1             |
| 381-584-DP | US, Jansen Bayonet            | 1.0, 1.5      | 17.8             |
| 381-586-DP | US, Jeweller #5               | 0.5           | 11.5             |
| 381-588-DP | US, Adson                     | 1.0           | 12.1             |

Note: More Disposable Bipolar Forceps are Available Use DP extension to any regular Bipolar Forceps.



The first choice for proven performance, Hampton's provides the broadest selection of fully autoclavable instruments for LEEP procedures. Our "rose coated" instruments will provide you with durability and performance unmatched in the industry. Models Available: Graves, Pederson, VU-More, 4-Way, Cusco, Collin, Weisman, Gelpi, Rigby, Lateral, Lateral Vaginal, Endocervical, Iris, Emmet, Straight, two-prong, three-prong, etc.



**Graves Vaginal Speculum**  
With Smoke Evacuation Tube  
Small **381-600**  
Medium **381-602**  
Large **381-604**

**Disposable Tube**



Small **381-606**  
Medium **381-608**  
Large **381-610**



**Pederson Vaginal Speculum**  
With Smoke Evacuation Tube  
Small **381-612**  
Medium **381-614**  
Large **381-616**

**Disposable Tube**



Small **381-618**  
Medium **381-620**  
Large **381-622**



**VU-Max Grave Vaginal Speculum**  
With Smoke Evacuation Tube  
Medium **381-624**  
Large **381-626**

**Disposable Tube**



Medium **381-628**  
Large **381-630**



**VU-Max Pederson Vaginal Speculum**  
With Smoke Evacuation Tube  
Medium **381-632**  
Large **381-634**

**Disposable Tube**



Medium **381-636**  
Large **381-638**



**Collin Vaginal Speculum**  
With Smoke Evacuation Tube  
Small **381-640**  
Medium **381-642**  
Large **381-644**



**CUSCO Vaginal Speculum**  
With Smoke Evacuation Tube  
Small **381-646**  
Medium **381-648**  
Large **381-650**





**Disposable Tube**



**VU-More Graves Vaginal Speculum**  
With Smoke Evacuation Tube  
Medium **381-656**  
Large **381-658**



**4-Blades Speculum**  
With Smoke Evacuation Tube  
Medium **381-660**  
Large **381-662**



**Disposable Tube**



**Weisman Vaginal Speculum**  
**Right Side Open**  
With Smoke Evacuation Tube  
Medium **381-664**  
Large **381-666**



**Disposable Tube**



**Weisman Vaginal Speculum**  
**Left Side Open**  
With Smoke Evacuation Tube  
Medium **381-672**  
Large **381-674**

Medium **381-676**  
Large **381-678**



**Lateral Retractor**  
**Wide Open**  
**381-680**



**Rigby Retractor**  
**Wide Open**  
**381-682**



**Gelpi Retractor**  
**Wide Open**  
**381-684**



**Kogan Speculum**  
3mm **381-686**  
4mm **381-688**  
5mm **381-690**



**Lateral Retractor**  
**21cm 22mmx75mm**  
**381-692**



Schroeder  
Tanaculum 24cm  
381-694



Schroeder  
Tanaculum 24cm  
381-696



Single Tooth  
Tanaculum 24cm  
381-698



Campion  
Forceps 22cm  
381-700



Spong  
Forceps 22cm  
381-702

Dressing Forceps  
381-704 21cm  
381-706 25cm



Tissue Forceps  
381-708 21cm  
381-710 25cm



Iris Hook  
381-712 25cm



Emmet Hook  
381-714 25cm



Emmet Hook Straight  
381-716 25cm



Emmet Hook Two Prong  
381-718 25cm



Emmet Hook Three Prong  
381-720 25cm





Through a non-reflective coating technique the glare produced during laser surgery is significantly minimized. The stainless steel surface is specially prepared keeping in mind the superior coating requirements for our range of laser surgery instruments. Custom sizes and shapes are available as well as partial gold plating services for certain instruments as per customer requirements. Models Available: Graves, Pederson, VU-More, 4-Way, Cusco, Collin, Weisman, Gelpi, Rigby, Lateral, Lateral Vaginal, Endocervical, Iris, Emmet, Straight, two-prong, three-prong, etc.



**Graves Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Small **381-750**  
Medium **381-752**  
Large **381-754**



**Pederson Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Small **381-756**  
Medium **381-758**  
Large **381-760**



**Collin Vaginal Speculum**  
*With Smoke Evacuation Tube*  
Small **381-762**  
Medium **381-764**  
Large **381-766**



**Lateral Vaginal Speculum**  
**381-766**

**Kogan Endocervical Speculum**



3mm **381-770**



4mm **381-772**



5mm **381-774**



**Rigby Retractor**  
381-778



**Gelpi Retractor**  
381-776



**Schroeder Tenaculum**  
381-780



**Iris Hook**  
381-782



**Emmet Hook**  
381-784



**Emmet Hook Straight**  
381-786



**Emmet Hook Two Prong**  
381-788



**Emmet Hook Three Prong**  
381-790



These E-Z Clean Laparoscopic Electrodes are made from very high quality raw material which ensures hassle free work performance at its user end. These E-Z Clean Laparoscopic Electrodes are widely finds its applications in various medical sectors.

### Salient Features of our E-Z Clean Laparoscopic Electrodes

- Provide excellent dissection and coagulation for a variety of surgical applications.
- High-tech PTFE coating for reduced eschar buildup.
- Reintroduction during surgery is minimized.
- Lower power settings for safer delivery of electrosurgery.
- Tips are cost-effective because they Save Time and Money.

**Dagger 12xm**  
381-820



**Dagger 18cm**  
381-822



**Hook 12cm**  
381-824




**Hook 18cm**  
381-826



**Hockey 12cm**  
381-828



**Hockey 18cm**  
381-830



**Frazier Suction Tube 11FR 13.5cm**  
381-832



**Frazier Suction Tube 11FR 20.5cm**  
381-834



**Frazier Suction Tube 11FR 40.6cm**  
381-836





**Electrode** handle with blade electrode for single-use. Sterile packaging in individual Pouches. Ready to use. This handle is made of high quality material and fits into the Surgeon's hand comfortably due to its ergonomic shape. The quality meets highest Specifications and fulfills all required international safety regulations.

- *Single-use electrode handle including blade electrode and 3 m cable (also available: 5 m)*
- *Individually packaged, sterile.*
- *Push buttons for cutting and coagulation.*
- *Unit side: 3-pin connector.*
- *Tips are cost-effective because they Save Time and Money.*
- *Suitable also for use with ERBE, Martin or Berchtold units, by addition of an adapter especially designed for such purpose.*





Rocker Switch Pencil (Single Use)  
3m Cable 381-854



Foot Control Pencil (Single Use)  
3m Cable 381-856  
5m Cable 381-858



Finger Switch Pencil (Reusable)  
3m Silicon Cable 381-860



Electrode Handle (Reusable)  
3m Silicon Cable 381-862



Finger Switch Pencil (Single Use)  
3m Cable 381-850  
5m Cable 381-852



**Blade Electrode**  
Disposable: 381-900-S Reusable: 381-900-R



**Blade Electrode Crv**  
Disposable: 381-902-S Reusable: 381-902-R



**Needle Electrode**  
Disposable: 381-904-S Reusable: 381-904-R



**Needle Electrode Crv**  
Disposable: 381-906-S Reusable: 381-906-R



**Ball Electrode 2mm**  
Disposable: 381-908-S Reusable: 381-908-R



**Ball Electrode Crv 2mm**  
Disposable: 381-910-S Reusable: 381-910-R



**Ball Electrode 3mm**  
Disposable: 381-912-S Reusable: 381-912-R



**Ball Electrode 3mm Crv**  
Disposable: 381-914-S Reusable: 381-914-R



**Ball Electrode 4mm**  
Disposable: 381-916-S Reusable: 381-916-R



**Ball Electrode 4mm Crv**  
Disposable: 381-918-S Reusable: 381-918-R



**Ball Electrode 5mm**  
Disposable: 381-920-S Reusable: 381-920-R



**Ball Electrode 5mm Crv**  
Disposable: 381-922-S Reusable: 381-922-R



**Blade Electrode Shaft 13cm**  
Disposable: 381-924-S Reusable: 381-924-R



**Needle Electrode Shaft 13cm**  
Disposable: 381-926-S Reusable: 381-926-R



**Ball Electrode 3mm Shaft 13cm**  
Disposable: 381-928-S Reusable: 381-928-R



**Ball Electrode 5mm Shaft 13cm**  
Disposable: 381-930-S Reusable: 381-930-R



**Conization Electrode**  
Disposable: 381-932-S Reusable: 381-932-R



**Circle Loop Electrode 4mm**  
Disposable: 381-934-S Reusable: 381-934-R



**Circle Loop Electrode 6mm**  
Disposable: 381-936-S Reusable: 381-936-R



**Circle Loop Electrode 8mm**  
Disposable: 381-938-S Reusable: 381-938-R



**Diamond Electrode**  
Disposable: 381-940-S Reusable: 381-940-R



**Fine Needle Electrode**  
Disposable: 381-942-S Reusable: 381-942-R



|            |           |           |           |           |           |
|------------|-----------|-----------|-----------|-----------|-----------|
|            |           |           |           |           |           |
| Size       | 1.0x0.4cm | 1.0x0.5cm | 1.0x0.7cm | 1.0x0.8cm | 1.0x1.0cm |
| Disposable | 381-944-S | 381-946-S | 381-948-S | 381-950-S | 381-952-S |
| Reusable   | 381-944-R | 381-946-R | 381-948-R | 381-950-R | 381-952-R |



|            |           |           |           |           |           |
|------------|-----------|-----------|-----------|-----------|-----------|
|            |           |           |           |           |           |
| Size       | 1.0x0.5cm | 1.0x0.7cm | 1.0x0.8cm | 1.0x1.0cm | 1.0x1.5cm |
| Disposable | 381-954-S | 381-956-S | 381-958-S | 381-960-S | 381-962-S |
| Reusable   | 381-954-R | 381-956-R | 381-958-R | 381-960-R | 381-962-R |




|            |           |           |           |           |           |           |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|
|            |           |           |           |           |           |           |
| Size       | 1.5x0.5cm | 1.5x0.7cm | 1.5x0.8cm | 1.5x1.0cm | 1.5x1.2cm | 1.5x1.5cm |
| Disposable | 381-964-S | 381-966-S | 381-968-S | 381-970-S | 381-972-S | 381-974-S |
| Reusable   | 381-964-R | 381-966-R | 381-968-R | 381-970-R | 381-972-R | 381-974-R |



|            |           |           |           |           |           |           |
|------------|-----------|-----------|-----------|-----------|-----------|-----------|
|            |           |           |           |           |           |           |
| Size       | 2.0x0.8cm | 2.0x1.0cm | 2.0x1.2cm | 2.0x1.3cm | 2.0x1.5cm | 2.0x2.0cm |
| Disposable | 381-976-S | 381-978-S | 381-980-S | 381-982-S | 381-984-S | 381-986-S |
| Reusable   | 381-976-R | 381-978-R | 381-980-R | 381-982-R | 381-984-R | 381-986-R |



**Blade Electrode**  
Disposable: 381-1000-S Reusable: 381-1000-R



**Blade Electrode Crv**  
Disposable: 381-1002-S Reusable: 381-1002-R



**Needle Electrode**  
Disposable: 381-1004-S Reusable: 381-1004-R



**Needle Electrode Crv**  
Disposable: 381-1006-S Reusable: 381-1006-R



**Ball Electrode 2mm**  
Disposable: 381-1008-S Reusable: 381-1008-R



**Ball Electrode Crv 2mm**  
Disposable: 381-1010-S Reusable: 381-1010-R



**Ball Electrode 3mm**  
Disposable: 381-1012-S Reusable: 381-1012-R



**Ball Electrode 3mm Crv**  
Disposable: 381-1014-S Reusable: 381-1014-R



**Ball Electrode 4mm**  
Disposable: 381-1016-S Reusable: 381-1016-R



**Ball Electrode 4mm Crv**  
Disposable: 381-1018-S Reusable: 381-1018-R



**Ball Electrode 5mm**  
Disposable: 381-1020-S Reusable: 381-1020-R



**Ball Electrode 5mm Crv**  
Disposable: 381-1022-S Reusable: 381-1022-R



**Blade Electrode Shaft 13cm**  
Disposable: 381-1024-S Reusable: 381-1024-R



**Needle Electrode Shaft 13cm**  
Disposable: 381-1026-S Reusable: 381-1026-R




**Ball Electrode Shaft 3mm 13cm**  
Disposable: 381-1028-S Reusable: 381-1028-R




**Ball Electrode 4mm Shaft 13cm**  
Disposable: 381-1030-S Reusable: 381-1030-R




**Ball Electrode 5mm 13cm**  
Disposable: 381-1032-S Reusable: 381-1032-R



**Circle Loop Electrode 4mm 0.7cm**  
Disposable: 381-1034-S Reusable: 381-1034-R




**Circle Loop Electrode 6mm 0.7cm**  
Disposable: 381-936-S Reusable: 381-936-R



**Circle Loop Electrode 8mm 0.7cm**  
Disposable: 381-1038-S Reusable: 381-1038-R



**Circle Loop Electrode 10mm 0.7cm**  
Disposable: 381-940-S Reusable: 381-940-R



**Plate Electrode Small**  
Disposable: 381-1042-S Reusable: 381-1042-R



**Plate Electrode Large**  
Disposable: 381-1044-S Reusable: 381-1044-R



**Plate Electrode Large**  
Disposable: 381-1044-S Reusable: 381-1044-R



|            |            |            |            |            |            |
|------------|------------|------------|------------|------------|------------|
|            |            |            |            |            |            |
| Size       | 1.0x0.4cm  | 1.0x0.5cm  | 1.0x0.7cm  | 1.0x0.8cm  | 1.0x1.0cm  |
| Disposable | 381-1046-S | 381-1048-S | 381-1050-S | 381-1052-S | 381-1054-S |
| Reusable   | 381-1046-R | 381-1048-R | 381-1050-R | 381-1052-R | 381-1054-R |



|            |            |            |            |            |            |
|------------|------------|------------|------------|------------|------------|
|            |            |            |            |            |            |
| Size       | 1.0x0.5cm  | 1.0x0.7cm  | 1.0x0.8cm  | 1.0x1.0cm  | 1.0x1.5cm  |
| Disposable | 381-1056-S | 381-1058-S | 381-1060-S | 381-1062-S | 381-1064-S |
| Reusable   | 381-1056-R | 381-1058-R | 381-1060-R | 381-1062-R | 381-1064-R |



|            |            |            |            |            |            |            |
|------------|------------|------------|------------|------------|------------|------------|
|            |            |            |            |            |            |            |
| Size       | 1.5x0.5cm  | 1.5x0.7cm  | 1.5x0.8cm  | 1.5x1.0cm  | 1.5x1.2cm  | 1.5x1.5cm  |
| Disposable | 381-1066-S | 381-1068-S | 381-1070-S | 381-1072-S | 381-1074-S | 381-1076-S |
| Reusable   | 381-1066-R | 381-1068-R | 381-1070-R | 381-1072-R | 381-1074-R | 381-1076-R |



|            |            |            |            |            |            |            |
|------------|------------|------------|------------|------------|------------|------------|
|            |            |            |            |            |            |            |
| Size       | 2.0x0.8cm  | 2.0x1.0cm  | 2.0x1.2cm  | 2.0x1.3cm  | 2.0x1.5cm  | 2.0x2.0cm  |
| Disposable | 381-1078-S | 381-1080-S | 381-1082-S | 381-1084-S | 381-1086-S | 381-1088-S |
| Reusable   | 381-1078-R | 381-1080-R | 381-1082-R | 381-1084-R | 381-1086-R | 381-1088-R |



Hampton's Cables are available in disposable and reusable grade. We offer high quality silicon cables even for our single-use instruments thus making sure that all cables are able to withstand electrical current above the standard requirements. Furthermore, numerous tests including continuity and leak test ensures that our cables will work under the toughest requirements. Multiple sizes and plugs are available as per the need of the customer. Our cables are durable, flexible and able to withstand sterilization processes if needed. By following international standards we ensure that our cables are compatible with most major ESU's. Our cables are available in lengths 3 m, 4 m or 5 m.



**European Bipolar Cable**

Instruments Connector: **European Flat Plug**

Generator Connector: **Martin Type**

Reusable Silicon 3m Cable **381-1118**



**US Bipolar Cable**

Instruments Connector: **USA 2-Pin Plug**

Generator Connector: **Martin Type**

Reusable Silicon 3m Cable **381-1120**



**European Bipolar Cable**

Instruments Connector: **European Flat Plug**

Generator Connector: **Erbe Type**

Reusable Silicon 3m Cable **381-1122**



**US Bipolar Cable**

Instruments Connector: **USA 2-Pin Plug**

Generator Connector: **Erbe Type**

Reusable Silicon 3m Cable **381-1124**



**Bipolar Cable**

Instruments Connector: **Ethicon**

Generator Connector: **4mm Banana Plug**

Reusable Silicon 3m Cable **381-1126**



**Monopolar Cable**

Instruments Connector: **Screw Type**  
Generator Connector: **Standard Bovie 8mm Plug**  
Reusable Silicon 3m Cable **381-1128**



**Monopolar Cable**

Instruments Connector: **4mm Female Fitting**  
Generator Connector: **Standard Bovie 8mm Plug**  
Reusable Silicon 3m Cable **381-1130**



**Monopolar Endoscopic Cable**

Instruments Connector: **4mm Female Fitting**  
Generator Connector: **4mm Banana Plug**  
Reusable Silicon 3m Cable **381-1132**



**Diathermy Cable**

Instruments Connector: **4mm Male Fitting**  
Generator Connector: **4mm Banana Plug**  
Reusable Silicon 3m Cable **381-1134**



**Diathermy Cable**

Instruments Connector: **4.8mm Female Fitting**  
Generator Connector: **4mm Banana Plug**  
Reusable Silicon 3m Cable **381-1136**



**Diathermy Cable**

Instruments Connector: **4.8mm Female Fitting**  
Generator Connector: **Stan. Bovie 8mm Plug**  
Reusable Silicon 3m Cable **381-1138**



- 381-1150** Artery Sealer 6.5"
- 381-1152** Artery Sealer 7.5"
- 381-1154** Artery Sealer 8.5"
- 381-1156** Artery Sealer 9.5"
- 381-1158** Artery Sealer 10.5"



- 381-1160** Non-Stick Artery Sealer 6.5"
- 381-1162** Non-Stick Artery Sealer 7.5"
- 381-1164** Non-Stick Artery Sealer 8.5"
- 381-1166** Non-Stick Artery Sealer 9.5"
- 381-1168** Non-Stick Artery Sealer 10.5"



PRECISION CONTROL  
COST EFFECTIVE THERMAL CONTROL  
ERGONOMICS  
CESS CONTROL COST EFF  
VISUALIZATION THERMAL CONTROL  
ERGONOMICS VISUALIZATION  
COST EFFECTIVE  
PRECISION ACCESS PRECISION THERMAL CONTROL  
ERGONOMICS PRECISION  
PRECISION  
FECTIVE THERM CONTROL  
CONTROL ERGONOMICS ACCESS  
THERMAL CONTROL  
CONTROL ERGONOMICS COST EFFECTIVE  
VISUALIZATION ACCESS  
COST EFFECTIVE ERGONOMICS  
SION PRECISION VISUALIZATI  
ERGONOMICS  
FFECTIVE

For more information or to place an order, please contact:

Address : 21 Spinney Walk Longthorpe Peterborough PE3 9NR

[www.hamptonsurgical.co.uk](http://www.hamptonsurgical.co.uk)

[Info@hamptonsurgical.com](mailto:Info@hamptonsurgical.com)



Hampton Surgical